



SEQUENCE LISTING

<110> LEE, Hyeyoung
CHO, Sang-Nae

<120> A method for identifying Mycobacterium tuberculosis and non-tuberculosis Mycobacteria, together with detecting resistance to an antituberculosis drug of Mycobacteria obtained by mutation of rpoB gene

<130> 912-27

<160> 31

<170> KopatentIn 1.71

<210> 1
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> MOTT-rpo-long-B-5' primer for PCR amplification of rpoB gene

<400> 1
tcaaggagaa gcgctacgac ctggc 25

<210> 2
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> TR8-long-NB-3' primer for PCR amplification of rpoB gene

<400> 2
acgggtgcac gtcgcggacc tcca 24

<210> 3
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for all types of Mycobacteria

<400> 3
gacgtcgtcg ccaccatcga 20

<210> 4
<211> 15

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligomer probe for M. tuberculosis complex

 <400> 4
 catgtcggcg agccc 15

 <210> 5
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligomer probe for M. avium

 <400> 5
 aaacggtgag ccgatcacc 19

 <210> 6
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligomer probe for M. intracellularae

 <400> 6
 aaacctgcac gcgggcga 18

 <210> 7
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligomer probe for M. scrofulaceum

 <400> 7
 aaaaacgtac ggatggccag c 21

 <210> 8
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Oligomer probe for M. kansasii type I + V

<400>	8	
aaaggccacg atgaccgtg		19
<210>	9	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. kansasii</i> type II + III + IV	
<400>	9	
aaaaatctca ggatggccag c		21
<210>	10	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. gastri</i>	
<400>	10	
aaaaatctca gggatggccag g		21
<210>	11	
<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. fortuitum</i> complex	
<400>	11	
cctgaacgcc ggccag		16
<210>	12	
<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. peregrinum</i>	
<400>	12	
gttccggtcg aggtgg		16

<210>	13	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. chelonae</i>	
<400>	13	
	aaatggtgac tgccaccacg	20
<210>	14	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. abscessus</i>	
<400>	14	
	aaaaggtgac caccaccacc	20
<210>	15	
<211>	15	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. ulcerans</i>	
<400>	15	
	ggccagccca tcacc	15
<210>	16	
<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for <i>M. genavense</i> / <i>M. simiae</i>	
<400>	16	
	ccagccgacg atgacg	16
<210>	17	
<211>	19	
<212>	DNA	
<213>	Artificial Sequence	

<220>
<223> Oligomer probe for M. gordonae type I, III, IV

<400> 17
aaagtcggcg atccgatca 19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for M. gordonae type II

<400> 18
• aaaaacgtcg gcaagccga 19

<210> 19
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for M. szulgai

<400> 19
aaatctgaac gtcggcgag 19

<210> 20
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for M. terrae

<400> 20
aaagctcagg acggtcagt 19

<210> 21
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for Wild Type 509-514

<400> 21
aaccagctga gccaatc 18

<210> 22
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for M. Wild Type 515-520

<400> 22
atggaccaga acaacccg 18

<210> 23
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for Wild Type 521-525

<400> 23
aaactgtcgg gggtgacc 18

<210> 24
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for Wild Type 524-529

<400> 24
ttgaccaca agcgccga 18

<210> 25
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligomer probe for Wild Type 530-534

<400> 25
ctgtcggcgc tggggc 16

<210> 26

<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for Mutant Type 531TTG	
<400>	26	
	ctggttggcgc tggggc	16
<210>	27	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for Mutant Type 526 AAC	
<400>	27	
	aaaaccaaca agcgccga	18
<210>	28	
<211>	19	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for Mutant Type 516 GTC	
<400>	28	
	aatggtccag aacaacccg	19
<210>	29	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Oligomer probe for Mutant Type 513 CCA	
<400>	29	
	aaagctgacc ccattcat	18
<210>	30	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		

<223> Oligomer probe for Mutant Type 511CCG

<400> 30

aaagccgagc ccattcat

18

<210> 31

<211> 531

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of the 531bp fragment obtained by PCR amplification of the rpoB gene of *M. tuberculosis*

<400> 31

tcaaggagaa gcgctacgac ctggcccgcg tcggctcgcta taagggtcaac aagaagctcg 60

ggctgcatgt cggcgagccc atcacgtcgt cgacgctgac cgaagaagac gtcgtggcca 120

ccatcgaata tctggtccgc ttgcacgagg gtcagaccac gatgaccgtt ccgggcggcg 180

tcgaggtgcc ggtggaaacc gacgacatcg accacttcgg caaccgccgc ctgcgtacgg 240

tcggcgagct gatccaaaac cagatccggg tcggcatgtc gcggatggag cgggtggtcc 300

gggagcggat gaccaccag gacgtggagg cgatcacacc gcagacgttg atcaacatcc 360

ggccggtggt cgccgcgac aaggagttct tcggcaccag ccagctgagc caattcatgg 420

accagaacaa cccgctgtcg gggttgacct acaagcgccg actgtcggcg ctggggccccg 480

gcggtctgtc acgtgagcgt gccgggctgg aggtccgcga cgtgcacccg t 531